



# Protection and Lifting in Harmony

with RADICARE®-GOLD  
and  
LIFTONIN®-XPERT ECO



SWISS EXPERTISE 

**RAHN**

Your partner for excellence

# Protection and Lifting in Harmony

(700473.0001)



**Key ingredients:** RADICARE®-GOLD: Your Personal Skin Guardian for radiation protection – such as blue light and WiFi

LIFTONIN®-XPRT ECO: A new era of natural Smart Collagen Management

**How to use:** Gently apply this cream every morning and evening on your face and décolleté.

St	Substance	INCI name USA	% [w/w]	Manufacturer
1	Water demin.	Water	68.85	several
	Dermosoft MCAV	Dipropylene Glycol, Caprylyl Glycol, Glyceryl Caprylate	1.00	Evonik Industries AG, DE
2	Disodium EDTA	Disodium EDTA	0.10	several
3	Tego Carbomer 340 FD	Carbomer	0.30	Evonik Industries AG, DE
4	Myritol 318	Caprylic / Capric Triglyceride	5.00	BASF, DE
	Neo Heliopan HMS	Homosalate	2.00	Symrise, DE
	Dermofeel BGC	Butylene Glycol Dicaprylate/Dicaprate	3.00	Evonik Industries AG, DE
	Neo Heliopan 303	Octocrylene	2.00	Symrise, DE
	Amisoft HS-11P(F)	Sodium Stearoyl Glutamate	0.15	Ajinomoto, JP
	Sisterna SP70-C	Sucrose Stearate	1.00	Sisterna B.V., NL
	Dermofeel GSC	Glyceryl Stearate Citrate	2.00	Evonik Industries AG, DE
	Tego Alkanol 1618	Cetearyl Alcohol	2.00	Evonik Industries AG, DE
	Parsol 1789	Butyl Methoxydibenzoylmethane	2.00	DSM, NL
	Keltrol CG-SFT	Xanthan Gum	0.30	CP Kelco, US
	Dermofeel Toco 70 non-GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	0.20	Evonik Industries AG, DE
	Dow Corning EL-9240 Silicone Elastomer Blend	Dimethicone, Dimethicone Crosspolymer	3.00	Dow Corning, US
5	NaOH solution 10 %	Sodium Hydroxide, Water	0.90	several
6	RADICARE®-GOLD	Crambe Abyssinica Seed Oil, Beta-Carotene, Xanthophylls, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil, Rosmarinus Officinalis (Rosemary) Leaf Extract	3.00	RAHN AG, CH
7	LIFTONIN®-XPRT ECO	Water, Mannan, Pentylene Glycol, Citric Acid	3.00	RAHN AG, CH
8	Perfume Creme P123	Fragrance	0.20	Huber the Nose, CH

**Production:** Mix 1 / Add 2 while stirring / Sprinkle 3 on the surface, wait until the powder is fully hydrated, mix thoroughly until completely smooth, heat to 70°C while stirring / Mix 4, heat to 70°C while stirring / Add 4 to 1–3 while stirring, homogenise / Cool to 40°C while stirring / Add 5–8 separately, homogenise / Cool down to 25°C while stirring.