



CALM BALM WITH 3% DEFENSIL[®]-SOFT
Upgrade your skin's comfort zone!



Watch the movie

RAHN

Your partner for excellence

Does your skin need an upgrade

for its comfort zone?



Fragile, ultra-sensitive skin



Intensive sun-bath /
IR radiation



Lap top thighs /
toasted skin syndrome



Harsh cosmetic ingredients



Laser treatments /
chemical peeling

Calm Balm with 3% DEFENSIL®-SOFT

(700352.0001)

Key ingredients

DEFENSIL®-SOFT:

The new neuro-balm soothes overstressed skin.

LIFTONIN®-XPRESS:

The sensory expert provides a rich texture and noticeably shields your skin.

How to use

Gently apply this cream every morning and evening on your face or body.

St	Substance	INCI name USA	% [w/w]	Manufacturer
1	Water demin.	Water	68.85	several
	Dermosoft Anisate	Sodium Anisate	0.20	Dr. Straetmans, DE
	Dermosoft MCA Variante	Dipropylene Glycol, Caprylyl Glycol, Glyceryl Caprylate	0.80	Dr. Straetmans, DE
2	LIFTONIN®-XPRESS	Hydroxypropyl Methylcellulose, Pullulan, Porphyridium Cruentum Extract	0.50	RAHN AG, CH
	Tego Carbomer 340 FD	Carbomer	0.40	Evonik Industries AG, DE
3	Dermofeel BGC	Butylene Glycol Dicaprylate/Dicaprate	5.00	Dr. Straetmans, DE
	Tegosoft CT	Caprylic/Capric Triglyceride	12.00	Evonik Industries AG, DE
	Tegosoft CI	Cetearyl Isononanoate	5.00	Evonik Industries AG, DE
	Tego Alkanol 1618	Cetearyl Alcohol	1.50	Evonik Industries AG, DE
	Keltrol CG-SFT	Xanthan Gum	0.20	CP Kelco, US
4	Sisterna SP70-C	Sucrose Stearate	1.50	Sisterna B.V., NL
	Amisoft HS-11P(F)	Sodium Stearoyl Glutamate	0.15	Ajinomoto, JP
	NaOH solution 10%	Sodium Hydroxide, Water	0.90	several
5	DEFENSIL®-SOFT	Propanediol, Albatrellus Ovinus Extract, Citric Acid	3.00	RAHN AG, CH

Production

Mix 1/Sprinkle 2 on the surface not stirring, wait until the powder is fully saturated, mix thoroughly until completely smooth/Make sure that the phase is homogenous and fully hydrated/Heat to 60°C while stirring/Mix 3, heat to 70°C while stirring/Add 3 to 1&2 while stirring, homogenise strongly/Add 4 while stirring, homogenise/Cool down to 40°C while stirring/Add 5 while stirring/Homogenise, cool down to 25°C while stirring.

RAHN GmbH
Hahnstrasse 70
DE-60528 Frankfurt am Main
Tel. 0800 1 816 015
Fax 0800 1 816 016

RAHN (UK) Ltd.
55 Baker Street
GB-London
W1U 7EU
Tel. 0800 0 323 743
Fax 0800 0 323 744

RAHN France Sarl
91 rue de Faubourg Saint-Honoré
FR-75008 Paris
Tel. 0800 913023
Fax 0800 918268

RAHN USA Corp.
1005 North Commons Drive
Aurora, Illinois 60504, USA
Tel. +1 630 851 4220
Fax +1 630 851 4863

RAHN Trading (Shanghai) Co. LTD
Room 105, Building 1
3669 Jin Du Road
Shanghai Xinzhuang Industry Park
Shanghai 201108
P.R. of China

Tel. +86 21 5442 8871
Fax +86 21 5442 8879

cosmetics@rahn-group.com
www.rahn-group.com

RAHN AG

Dörflistrasse 120
CH-8050 Zürich
Tel. +41 44 315 42 00
Fax +41 44 315 42 45



DISCLAIMER

Utilisation of this document or parts thereof as well as product names for commercial or industrial applications is subject to explicit written approval by RAHN AG. This information is based on our own experience to date and we believe it to be reliable. It is intended only as a guide to use at your discretion and risk. We cannot guarantee favourable results and assume no liability in connection with its use, or the use of the methods or products described. None of this information is to be taken as a license to operate under, or a recommendation to infringe patents.