RAHN

Disengage from Age

ID	FACE Care / 700324.0001	ID-No: 001.001
pH-value	5.0-5.5	
Appearance	Yvory coloured cream	
Product Form	Emulsion O/W	
Claims	Anti-Ageing; Moisturising; Soothing; Caring	

St	Substance	INCI Name USA	% w/w	Manufacturer
1	Water demin.	Water	67.00	several
	Sodium Sulfite	Sodium Sulfite	0.10	several
	Dermosoft OMP	Methylpropanediol, Caprylyl Glycol, Phenylpro- panol	4.00	Evonik, DE
2	Carbopol Ultrez-10	Carbomer	0.15	Lubrizol, US
3	Sisterna SP70-C	Sucrose Stearate	0.50	Sisterna B.V., NL
	Myritol 312	Caprylic/Capric Triglyceride	12.00	BASF, DE
	Keltrol CG-SFT	Xanthan Gum	0.25	CP Kelco, US
	Dermofeel GSC	Glyceryl Stearate Citrate	3.00	Evonik, DE
	Dermofeel Toco 70 non- GMO	Tocopherol, Helianthus Annuus Seed Oil	0.10	Evonik, DE
	Dermofeel Sensolv	Isoamyl Laurate	4.00	Evonik, DE
	Tegosoft DEC	Diethylhexyl Carbonate	3.00	Evonik, DE
	Tego Alkanol 1618	Cetearyl Alcohol	2.00	Evonik, DE
4	PROTEOLEA®	Glycerin, Water, Fructan, Decyl Glucoside, Olea Europaea (Olive) Leaf Extract, Phenethyl Al- cohol, Ziziphus Jujuba Seed Extract, Citric Acid, Ascorbic Acid	3.00	RAHN AG, CH
5	White Poetry	Fragrance	0.90	Aromatic Flavours & Fragrances Europe Ltd., GB

Production

Mix 1, sprinkle 2 on the surface, wait until fully saturated / Heat to 70°C while stirring / Mix 3, heat to 70°C / Add 3 to 1and2 while stirring, homogenise strongly / Cool to 40°C while stirring / Add 4 and 5, homogenise / Cool to 25°C while stirring.

Stability: Stable for more than 3 months at 5°, 25°, 40°, 50°C Microbiological Stability: Proven

Disclaimer

Utilisation of this document or parts thereof as well as product names for commercial or industrial applications is subject to explicit written approval by RAHN AG. This information is based on our own experience to date and we believe it to be reliable. It is intended only as a guide to use at your discretion and risk. We cannot guarantee favourable results and we assume no liability in connection with its use, or the use of the methods or products described. None of this information is to be taken as a license to operate under, or a recommendation to infringe, patents. Version: 04/2020