

All-in-one Bar - Shampoo + Beard + Body

ID BODY Cleansing / 700457.0048 ID-No: 002.001

pH-value ---

Appearance White Solid Bar

Product Form Stick

Claims Cleansing; Moisturising; Hydrating; Water-free; Microplastic-free

| St | Substance | INCI Name USA | % w/w | Manufacturer |
|----|-------------------------------|---|-------|--|
| 1 | Tego Alkanol 1618 | Cetearyl Alcohol | 29.30 | Evonik, DE |
| | TEGO Feel C 10 | Cellulose | 1.00 | Evonik, DE |
| | Sisterna A10E-C | Sucrose Tetrastearate Triacetate | 2.50 | Sisterna B.V., NL |
| | HydraSynol DOI | Isosorbide Dicaprylate | 2.00 | Sytheon Ltd, US |
| | Coconut Oil refined, organic | Cocos Nucifera (Coconut) Oil | 3.30 | All Organic Trading GmbH, DE |
| | Cacao Butter Pellets | Theobroma Cacao (Cocoa) Seed Butter | 2.00 | Henry Lamotte Oils, DE |
| | Tego SMO V | Sorbitan Oleate | 0.20 | Evonik, DE |
| | Virgin Maracuja Oil | Passiflora Edulis Seed Oil | 7.00 | Laboratoires Expan- science, FR |
| | Dermofeel Sensolv | Isoamyl Laurate | 1.00 | Evonik, DE |
| | Dermosoft GMCY | Glyceryl Caprylate | 0.50 | Evonik, DE |
| | Dermofeel Toco 70 non- GMO | Tocopherol, Helianthus Annuus (Sunflower) Seed Oil | 0.20 | Evonik, DE |
| 2 | Amisoft GS-11P | Sodium Stearoyl Glutamate, Sodium Cocoyl Glutamate | 20.00 | Ajinomoto, JP |
| | Elfan AT G | Sodium Cocoyl Isethionate | 30.00 | Akzo Nobel Chemi- cals GmbH, DE |
| 3 | Energise Man | Fragrance | 1.00 | Aromatic Flavours & Fragrances Europe Ltd., GB |

Production

Prepare 1 and heat to between 60-70°C / Prepare 2 / When 1 is fully melted, add 2 and stir for 2-3 minutes to make a homogenous mixture / Prepare 3 / Add 3 to mixture and homogenize for 1 minute. It helps to warm up the homogenizer before use so that the mixture doesn't solidify upon contact with a cold homogenizer / Pour mixture into moulds and leave to cool to room temperature.

Stability: Stable for more than 3 months at 5°, 25° and 40°C Microbiological Stability: ---

Disclaime

Utilisation of this document or parts thereof as well as product names for commercial or industrial applications is subject to explicit written approval by RAHN AG. This information is based on our own experience to date and we believe it to be reliable. It is intended only as a guide to use at your discretion and risk. We cannot guarantee favourable results and we assume no liability in connection with its use, or the use of the methods or products described. None of this information is to be taken as a license to operate under, or a recommendation to infringe, patents.

Version: 04/2020